

Équipement et
accessoires d'origine
**CATALOGUE
PROFESSIONNEL**



EQUIPEMENT ET ACCESSOIRES D'ORIGINE

Cher client,

La qualité, l'innovation et le service :Voici les trois dimensions que Suzuki vous propose afin de vous satisfaire et de répondre à tout ce que vous attendez de votre moteur hors bord. Pour associer le plaisir, la performance et la sécurité exigez la qualité d'origine Suzuki. Ce catalogue représente notre engagement à vous fournir les pièces et accessoires les mieux adaptés à votre moteur. Vous pouvez ainsi compter sur les Accessoires d'Origine Suzuki pour atteindre une performance optimale.

Nous espérons que les éléments présents dans ce catalogue compléterons votre savoir faire pour renseigner au mieux nos clients fidèles.

Merci.

Suzuki France

SOMMAIRE

Jauges multifonctions Suzuki	04
Système modulaire d'instrumentation Suzuki (SMIS)	08
Instrument analogique	14
Système de commande	SPC : système de changement & accélérateur électronique Système de commande déportée mécanique
Direction	26
Pièces électriques	28
Anode	29
Système d'essence	30
Hélices	33
Protection	36
Pièces de maintenance et consolables	37
Batteries	39
Système d'alarme	39
Tableau d'application	40
Gamme Corporate : collection 2013	42

MODELE ET NUMERO DE SERIE

Les pièces et références présentées dans ce catalogue s'appliquent aux modèles suivants :

Modèle	Numéro de série	Modèle	Numéro de série	Modèle	Numéro de série
DF300A	30002S-310001~	DF115AT	11502F-310001~	DF9.9TH	00993F-310001~
DF250A	25003P-310001~	DF115AZ	11502Z-310001~	DF8A	00801F-310001~
DF250T	25003F-310001~	DF100A	10002F-310001~	DF6	00602F-310001~
DF250Z	25003Z-310001~	DF90A	09003F-310001~	DF5	00502F-310001~
DF225T	22503F-310001~	DF80A	08002F-310001~	DF4	00402F-310001~
DF225Z	22503Z-310001~	DF70A	07003F-310001~	DF2.5	00252F-310001~
DF200T	20002F-310001~	DF60A	06002F-310001~	DT40	04005-310001~
DF200Z	20002Z-310001~	DF50A	05003F-310001~	DT40WK	04005K-310001~
DF175T	17502F-310001~	DF40A	04003F-310001~	DT30	03005-310001~
DF175Z	17502Z-310001~	DF25	02503F-310001~	DT25K	02503K-310001~
DF150T	15002F-310001~	DF20A	02002F-310001~	DT15	01504-310001~
DF150Z	15002Z-310001~	DF15A	01504F-310001~	DT15K	01503K-310001~
DF140AT	14002F-310001~	DF9.9B	00995F-310001~	DT9.9	00996-310001~
DF140AZ	14002Z-310001~	DF9.9A	00994F-310001~	DT9.9K	00993K-310001~

REFERENCE	
Part number	15-digit alpha numerical number shows part number to be used for ordering.
Gauge size	Shows the size (2" or 4") of the gauge.
Background	Shows a main color of display panel on the front of a gauge.
Applicable model	Shows typical or recommended models of ENGINES that RIGGING PARTS and ACCESSORIES can be installed on.
Maximum speed	Shows maximum speed that SPEEDOMETER displays.
kph	Kilometers per hour
mph	Miles per hour
knots	Knot

JAUGES MULTIFONCTIONS SUZUKI



JAUGE MULTIFONCTIONS



34200-87L11-000 001

Applicable Model DF9.9B/15A/20A/40A-300A

Modèles d'affichage



Paramètres de fonctionnement moteur

Features:
Tachometer, shift position, speedometer, trim gauge, GPS time, trip hour, distance to homeport and destination, navigation compass, fuel manager, fuel gauge

Mode écran réduit

Features:
Tachometer, shift position, speedometer, fuel gauge, GPS time, navigation compass, trim gauge

Mode écran navigation

Features:
Navigation compass, distance to homeport and destination, latitude and longitude, trip hour, GPS time

Mode écran information carburant

Features:
Fuel level of each tank, fuel flow, fuel consumption per hour, sailing distance per litter or gallon, distance to homeport and destination

Mode écran information moteur

Features:
Total hour, hour after oil change, voltmeter, coolant water temperature

FAISCEAU D'ADAPTATION



36661-87L00-000 002

Applicable Model DF9.9B/15A/20A/40A-250T/Z

FAISCEAU D'ADAPTATION



36661-87L10-000 003

For drive-by-wire models

Applicable Model DF250A/300A

MODULE DE RECEPTION GPS



39950-87L00-000 004

Applicable Model DF9.9B/15A/20A/40A-300A

FAISCEAU CONNEXION RESEAU NMA2000



36666-87L00-000 005

Applicable Model DF9.9B/15A/20A/40A-300A

CABLE D'ALIMENTATION



36663-98J00-000 006

2.5 meters

Applicable Model DF9.9B/15A/20A/40A-300A

36663-98J10-000 007


6.0 meters

Applicable Model DF9.9B/15A/20A/40A-300A



EXEMPLE DE CONNEXION JAUGE MULTIFONCTIONS POUR DF205A/300A

DF250A/DF300A SINGLE




NOTE


- *1: Analog tank sender and SMS tank sender can be used together.
(Maximum 4 senders in total)
- *2: In case of connecting ① and ⑬, the priority should be given to ①.
- *3: Available modes of ⑩ and ⑪ are Engine revolutions, trimming angle, engine temperature, battery voltage, ground speed, time and position information.
- *4: While some of SMS items have a T-connector in the package, the total number of the T-connector enclosed in them may be short to the required quantity.

Ref No.	Part name	Part number	Single engine	Dual engine	with SMIS	Quantity of T-connector (%)
	SUZUKI multi function gauge	34200-87L11-000	1	1	1	0
①	GPS receiver module	39950-87L00-000	1	1	1	0
②	Gauge adapter	36661-87L10-000	1	1	1	0
③	Active hub power harness 2.5 meters	36663-98J00-000	1	1	1	0
	Active hub power harness 6.0 meters	36663-98J10-000				0
④	SMIS network wire	36666-87L00-000			1	0
⑤	SMIS power cable with a T-connector	990C0-88112-000			1	1
⑥	Fluid level sensor with a T-connector	990C0-88116-000			4	1
⑦	Terminator female	990C0-88113-000			1	0
⑧	T-connector	990C0-88110-000			8	1

Ref No.	Part name	Part number	Single engine	Dual engine	with SMIS	Quantity of T-connector (*)
⑨	Terminator male	990C0-88114-000			1	0
⑩	2" SMIS multi-function gauge	990C0-88150-000				1
⑪	4" SMIS multi-function gauge	990C0-88161-000			1	1
⑫	Gauge adapter	36661-87L00-000				0
⑬	GPS receiver module	990C0-88120-000			1	1
	Terminal set	36990-87D00-000				0
	Extension cable 2 feet	36662-88L10-000				0
	Extension cable 6 feet	990C0-88105-000				0
	Extension cable 15 feet	990C0-88107-000				0
	Extension cable 25 feet	990C0-88108-000				0




BI MOTEUR DF205A/DF300A



EXEMPLE DE CONNEXION POUR JAUGE MULTIFONCTIONS DF99B/15A/20A/40A-250T/Z

DF9.9B/15A/20A/40A-250T/Z SINGLE





NOTE

- *1: This connection is required only for the engine equipped with a trim sender.
- *2: Disconnect the gauge connector and connect with the SDS connector.
- *3: Analog tank sender and SMIS tank sender can be used together.
(Maximum 4 senders in total)
- *4: In case of connecting ① and ⑬, the priority should be given to ①.
- *5: Available modes of ⑩ and ⑪ are Engine revolutions, trimming angle, engine temperature, battery voltage, ground speed, time and position information.
- *6: While some of SMIS items have a T-connector in the package, the total number of the T-connector enclosed in them may be short to the required quantity.
- *7: SMIS adapter is required only for FY9.D9B/15A/20A as shown in the lower right-hand corner of the page.

Ref No.	Part name	Part number	Single engine	Dual engine	with SMIS	Quantity of T-connector (%)
	SUZUKI multi function gauge	34200-87L11-000	1	1	1	0
①	GPS receiver module	39950-87L00-000	1	1	1	0
②	Gauge adapter	36661-87L10-000				0
③	Active hub power harness 2.5 meters	36663-98J00-000	1	1	1	0
	Active hub power harness 6.0 meters	36663-98J10-000				0
④	SMIS network wire	36666-87L00-000			1	0
⑤	SMIS power cable with a T-connector	990C0-88112-000			1	1
⑥	Fluid level sensor with a T-connector	990C0-88116-000			4	1
⑦	Terminator female	990C0-88113-000			1	0
⑧	T-connector	990C0-88110-000			8	1

BI-MOTEUR DF99B/15A/20A/40A-250T/Z



Ref No.	Part name	Part number	Single engine	Dual engine	with SMIS	Quantity of T-connector ^{(*)6}
⑨	Terminator male	990C0-88114-000			1	0
⑩	2" SMIS multi-function gauge	990C0-88150-000				1
⑪	4" SMIS multi-function gauge	990C0-88161-000			1	1
⑫	Gauge adapter	36661-87L00-000	1	1	1	0
⑬	GPS receiver module	990C0-88120-000			1	1
⑭	SMIS adapter ^{(*)7}	36668-88L00-000	1	2		0
	Terminal set	36990-87D00-000				0
	Extension cable 2 feet	36662-88L10-000				0
	Extension cable 6 feet	990C0-88105-000				0
	Extension cable 15 feet	990C0-88107-000				0
	Extension cable 25 feet	990C0-88108-000				0

SYSTÈME MODULAIRE D'INSTRUMENTATION SUZUKI

Le SYSTÈME MODULAIRE D'INSTRUMENTATION SUZUKI (SMIS) utilise le système de réseau NMEA2000 pour transmettre des données graphiques et numériques.

Facile à installer ce système peut être utilisé du DF15A/20A et du DF40A au DF300A.

JAUGE SMIS MULTIFONCTIONNENT

Ce système permet l'affichage des paramètres de fonctionnement moteur soit numérique ou graphique.

Le système SMIS lorsqu'il est connecté au moteur, il contrôle tous les paramètres de fonctionnement du moteur comme compteur de vitesse, compte-tours, GPS et beaucoup d'autres.

JAUGE MULTIFONCTION SMIS 4"




Quad analog page as a tachometer, a volt meter, a water pressure gauge and a speedometer for single engine

990C0-88161-000 008

With a grey bezel + a T-connector (990C0-88110-000) + operation & installation manual

EXEMPLES D'AFFICHAGE**




Engine trim page as a trim gauge for single engine




Single analog page as a tachometer for single engine




Single analog page as a speedometer



Fuel manager page as a fuel gauge



Dual digital page as a hour meter and a speedometer for single engine



Diagnostics page

JAUGE MULTIFONCTION SMIS 2"



Fuel manager page


990C0-88150-000 009

With a grey bezel + a T-connector (990C0-88110-000) + operation & installation manual

EXEMPLES D'AFFICHAGE**



As a volt meter for single engine



Engine trim page as a trim gauge for single engine



Fuel manager page

**Detailed instructions for the display operations are explained in the operation & installation manual.

KITS JAUGES

KIT JAUGE 4"

990C0-88161-KIT 010


This kit contains basic components to install the digital gauge.



KIT JAUGE 2"

990C0-88150-KIT 011

Ce kit est complémentaire au système de jauge analogique et peut afficher les informations que le système de jauge analogique ne peut pas indiquer comme la consommation de carburant.



Available for your convenience. Refer to the following chart for the contents.

Contenu					
Nom de la pièce	Numéro de la pièce	Quantité			
		4" gauge kit 990C0-88161-KIT	***	2" gauge kit 990C0-88150-KIT	***
1 4" SMIS multifunction gauge	990C0-88161-000 008	1	1	-	-
2 2" SMIS multifunction gauge	990C0-88150-000 009	-	-	1	1
3 Terminator female	990C0-88113-000 020	1	-	1	-
4 Terminator male	990C0-88114-000 021	1	-	1	-
5 Extension cable 25 feet	990C0-88108-000	-	-	1	-
6 Engine interface unit	990C0-88134-000 012	1	1	1	1
7 SMIS power cable	990C0-88112-000 017	1	1	1	1
8 SMIS adapter	990C0-88136-000 013	-	-	1	-
9 Operation & installation manual for 4" gauge		1	-	-	-
10 Operation & installation manual for 2" gauge		-	-	1	-

***Quantity of T-connector(s) in a kit

GARNITURE D'INSTRUMENT OPTIONNELLE

Vous pouvez changer la monture grise standard. Deux nouvelles monture sont disponibles pour 2 "ou 4" des jauges de multifonction.



The image shows 4" bezel, "chrome", 990C0-88021-6PK.

4" bezel, chrome
990C0-88021-6PK

4" bezel, white
990C0-88023-6PK

2" bezel, chrome
990C0-88025-6PK

2" bezel, white
990C0-88027-6PK

SYSTÈME MODULAIRE D'INSTRUMENTATION SUZUKI

INTERFACE MOTEUR AVEC CONNECTEUR EN T



990C0-88134-000 012

ADAPTATEUR SMIS



990C0-88136-000 013
POUR DF99B/15AR/20AR/40AT-250T/Z avec jauge analogique, l'adaptateur permettra de connecter le moteur à un réseau NMEA2000

POWER CABLE

The fused (3A) lead connects the extension cable to the power source.

CABLE D'ALIMENTATION SMIS AVEC CONNECTEUR EN T



990C0-88112-000 017

INTERFACE MOTEUR

La partie la plus importante du système de données SMIS.

ADAPTATEUR POUR INTERFACE



990C0-88131-000 014
Pour monomoteur DF250A/DF300A



36661-98J20-000 015
Pour bimoteur DF250A/DF300A



36661-98J30-000 016
pour triple moteur DF250A/DF300A

CABLE D'ALIMENTATION AVEC CONNECTEUR EN T POUR MULTIMOTEURS



990C0-88130-000 018
Allows the network to be powered from multiple power sources (key switch, accessory switch, etc ...). For multiple (2 or 3) engines of DF9.9BR/15AR/20AR/40A-250T/Z.

CONNECTION HARDWARE

CONNECTEUR EN T



990C0-88110-000 019
T-connectors link all compatible cables, data and sensor devices, and can be easily secured.

TERMINAISON FEMELLE



990C0-88113-000 020
120 Ohm terminators are required for any open cable ends in the system.

TERMINAISON MALE



990C0-88114-000 021
120 Ohm terminators are required for any open cable ends in the system.

CABLE ADAPTATEUR AU RESEAU N



990C0-88029-000 022
(Black network to blue devices)
Allows connection to other NMEA devices (Device NET).

CABLE ADAPTATEUR AU RESEAU L



990C0-88137-000 023
(Blue network to black devices)

SONDES

SONDE DE NIVEAU DE FLUIDE AVEC CONNECTEUR EN T



990C0-88116-000 024
Indique les niveaux de fluide tels que carburants, eau etc. Cable de 3 mètres

SONDE DE VITESSE AVEC UN CONNECTEUR EN T



990C0-88117-000 025
Paddle wheel type speed sensor. 10ft cable.

SONDE DE TEMPERATURE D'EAU AVEC CONNECTEUR EN T



990C0-88118-000 026
Pour eau de surface. Cable de 3 mètres



990C0-88119-000 027
(Thru hull type)

SONDE DE PRESSION D'EAU AVEC CONNECTEUR EN T



990C0-88139-000 028

MODULE DE RECEPTION GPS AVEC CONNECTEUR EN T



990C0-88120-000 029
Affiche la localisation précise et la vitesse sur les jauges multifonction

CÂBLE DE CONNEXION

Permet une connexion entre le système SMIS et un afficheur NMEA2000 (ce système doit être utilisé avec un connecteur en T). Le câble peut être aussi utilisé comme rallonge de faisceau du système SMIS pour les bateaux de grande taille.

RALLONGE



36662-88L10-000
2 feet

990C0-88105-000 030
6 feet

990C0-88107-000
15 feet

990C0-88108-000
25 feet




EXEMPLE DE CONNEXION POUR DF250A/DF300A AVEC JAUGE SMIS

(in case of equipping the same quantities of 4" and 2" gauges as engines and stations, and all optional items)


Category	Ref. #	Part name	Number of T-connector included	Contents of gauge kit		Engine(s)												Part number
						1	2	3	1		2		3					
						Station(s)												
						1	1	1	2		2		2					
				total	1st	2nd	total	1st	2nd	total	1st	2nd						
required quantity per boat (*1)																		
SMIS multifunction gauge	❶	4" SMIS multifunction gauge with a grey bezel	1	1		1	2	3	2	1	1	4	2	2	6	3	3	990C0-88161-000
		4" gauge kit	3	KIT														990C0-88161-KIT
Engine interface	❷	2" SMIS multifunction gauge with a grey bezel	1		1	1	2	3	2	1	1	4	2	2	6	3	3	990C0-88150-000
	❸	Engine interface unit	1	1	1	1	2	3	1	1		2	2		3	3		990C0-88134-000
	❹	Engine interface adapter for single DF300 engine only	0			1	1											990C0-88131-000
		Engine interface adapter for dual DF300 engine only	0															36661-98J20-000
Engine interface adapter for triple DF300 engine only		0															36661-98J30-000	
Power cable	❺	Power cable	1	1	1	1	1	1	1		1	1		1	1			990C0-88112-000
Connection cable	❻	Extension cable 2 feet	0			1	1	1	1	1		1	1		1	1		36662-88L10-000
		Extension cable 6 feet	0															990C0-88105-000
		Extension cable 15 feet	0															990C0-88107-000
		Extension cable 25 feet	0	0	1													990C0-88108-000
Connection hardware	❼	T-Connector (*3)	1	3	3	4 (*1)	7 (*1)	10 (*1)	6 (*1)	4	2	11 (*1)	7	4	16 (*1)	10	6	990C0-88110-000
	❽	Terminator female	0	1	1	1	1	1	1		1	1		1			1	990C0-88113-000
	❾	Terminator male	0	1	1	1	1	1	1	1		1	1		1	1		990C0-88114-000
		Adapter harness to N network (black network to blue devices)	0															990C0-88029-000
		Adapter harness to L network (blue network to black devices)	0															990C0-88137-000
Sensor		Fluid level sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			990C0-88116-000
		Speed sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			990C0-88117-000
		Water temperature sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			990C0-88118-000
		Water temperature sensor (thru hull type)	1			(1)	(1)	(1)	(1)			(1)			(1)			990C0-88119-000
		Water pressure sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			990C0-88139-000
		GPS receiver module	1			(1)	(1)	(1)	(1)			(1)			(1)			990C0-88120-000
Optional trim		4" bezel, chrome (6 pieces in one package)	0															990C0-88021-6PK
		4" bezel, white (6 pieces in one package)	0															990C0-88023-6PK
		2" bezel, chrome (6 pieces in one package)	0															990C0-88025-6PK
		2" bezel, white (6 pieces in one package)	0															990C0-88027-6PK

NOTE: (*1): The required or recommended quantities are shown. Numbers in round parentheses show the required ones if equipped.
(*2): While some of SMIS items have a T-connector in a package, the total of the T-connectors coming with them does not always satisfy the required quantity.


SINGLE ENGINE OF DF250A/300A



DUAL ENGINE OF DF250A/300A




TRIPLE ENGINE OF DF250A/300A




SINGLE ENGINE OF DF9.9BR/15AR/20AR/40A-250


(*3)



DUAL ENGINE OF DF9.9BR/15AR/20AR/40A-250



TRIPLE ENGINE OF DF9.9BR/15AR/20AR/40A-250



Single Station First & Second Station

INSTRUMENT ANALOGIQUE

Caution lamp	Caution type
CHECK ENGINE	Low battery voltage or other cautions on S.D.S
TEMP	Overheat (over revolution)
OIL	Low oil pressure (over revolution) Oil change reminder
REV LIMIT	Over revolution

COMPTE-TOURS



Gauge size	4"
Background	Black
Applicable model	DF8AR/9.9T/9.9AR/9.9BR/15AR/20AR/25R,DT30R/40WR

Full-scale 7000-RPM TACHOMETER can be used on electric start models by using 4, 6 or 12 pole switch on rear of meter.



Gauge size	4"
Background	White
Applicable model	DF8AR/9.9T/9.9AR/9.9BR/15AR/20AR/25R,DT30R/40WR

Full-scale 7000-RPM TACHOMETER can be used on electric start models by using 4, 6 or 12 pole switch on rear of meter.



Gauge size	4"
Background	Black
Applicable model	DF40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z

Caution systems alert with a monitor lamp lighting on when an abnormal engine condition occurs. Refer to SERVICE MANUAL for more details.



Gauge size	4"
Background	White
Applicable model	DF40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z

Caution systems alert with a monitor lamp lighting on when an abnormal engine condition occurs. Refer to SERVICE MANUAL for more details.

COMPTEUR DE VITESSE



Gauge size	4"
Background	Black
Maximum speed	130km/h, 80mph
Applicable model	DF40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z

Bourdon tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.



Gauge size	4"
Background	White
Maximum speed	130km/h, 80mph
Applicable model	DF40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z

Bourdon tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.



Gauge size	4"
Background	Black
Maximum speed	80km/h, 45knots
Applicable model	DF8AR/9.9AR/9.9BR/15AR/20AR/25R/40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z,DT30R/40WR

Bourdon tube type speedometer with readings in km/h and knots. Includes vinyl tube, hardware and installation manual.



Gauge size	4"
Background	White
Maximum speed	80km/h, 45knots
Applicable model	DF8AR/9.9AR/9.9BR/15AR/20AR/25R/40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z,DT30R/40WR

Bourdon tube type speedometer with readings in km/h and knots. Includes vinyl tube, hardware and installation manual.

SONDE DE VITESSE DE COQUE



Gauge size	4"
Background	White
Maximum speed	80km/h, 45knots
Applicable model	DF8AR/9.9AR/9.9BR/15AR/20AR/25R/40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z,DT30R/40WR



Gauge size	4"
Background	White
Maximum speed	80km/h, 45knots
Applicable model	DF8AR/9.9AR/9.9BR/15AR/20AR/25R/40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z,DT30R/40WR

Bourdon tube type speedometer with readings in km/h and knots. Includes vinyl tube, hardware and installation manual.

KIT SONDE DE VITESSE DE COQUE

Gauge size	4"
Background	White
Maximum speed	80km/h, 45knots
Applicable model	DF8AR/9.9AR/9.9BR/15AR/20AR/25R/40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z,DT30R/40WR



Contents	Part number	Qty/kit
SPEEDOMETER SENDER	34190-95500-000	1
SPEEDOMETER-HOSE UNION	55127-87D00-000	1
HOSE		1
Contents	Part number	Qty/kit
CLAMP (L: 100 mm)	09407-10404-000	2

Use SPEEDOMETER SENDER (34190-95500-000) in case that the integrated sender cannot detect a proper boat speed.



KIT D'INSTALLATION INDICATEUR DE PRESSION D'EAU

Gauge size	4"
Background	White
Maximum speed	80km/h, 45knots
Applicable model	DF8AR/9.9AR/9.9BR/15AR/20AR/25R/40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z,DT30R/40WR

This kit can be installed as a water pressure sensor or as a speed sensor. The detail is described in the installation manual, which is contained in the package.



Contents:	Quantity		
	in KIT	used for water pressure sensor	used for speed sensor
1 Sensor	1	1	1
2 Connector	1	1	1
3 Bolt	1	1	1
4 Clip	4	4	1
5 3way	1	1	-
6 Water pressure hose (500mm)	1	1	-
7 Cap	1	-	1



JAUGE A ESSENCE



34300-93J00-000	046
Gauge size	2"
Background	Black
Applicable model	DF8AR/9.9AR/9.9BR/9.9T/15AR/20AR/25R/40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z,DT30R/40WR

FUEL GAUGE only works with the US Standard 250Q sending unit. Use the 150Q adaptor to connect the gauge to a European standard sending unit.



34300-93J11-000	047
Gauge size	2"
Background	White
Applicable model	DF8AR/9.9AR/9.9BR/9.9T/15AR/20AR/25R/40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z,DT30R/40WR

FUEL GAUGE only works with the US Standard 250Q sending unit. Use the 150Q adaptor to connect the gauge to a European standard sending unit.

INDICATEUR DE TRIM



34800-93J00-000	048
Gauge size	2"
Background	Black
Applicable model	DF40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z

Magnetic type gauge shows trim angle for optimum performance and efficiency.



34800-93J11-000	049
Gauge size	2"
Background	White
Applicable model	DF40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z

Magnetic type gauge shows trim angle for optimum performance and efficiency.

JAUGE DE PRESSION D'EAU



34650-93J20-000	050
Gauge size	2"
Background	Black
Applicable model	DF40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z

Bourdon tube type gauge measures cooling water pressure. Select an appropriate INSTALLATION KIT for each model.



34650-93J31-000	051
Gauge size	2"
Background	White
Applicable model	DF40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z

Bourdon tube type gauge measures cooling water pressure. Select an appropriate INSTALLATION KIT for each model.

HORAMETRE



34500-93J00-000	053
Gauge size	2"
Background	Black
Applicable model	DF8AR/9.9AR/9.9BR/9.9T/15AR/20AR/25R/40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z,DT30R/40WR

This 12 Volt electric motor driven meter indicates the number of hours that your motor has been in operation. This helps to identify when a periodic service is required.



34500-93J11-000	054
Gauge size	2"
Background	White
Applicable model	DF8AR/9.9AR/9.9BR/9.9T/15AR/20AR/25R/40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z,DT30R/40WR

This 12 Volt electric motor driven meter indicates the number of hours that your motor has been in operation. This helps to identify when a periodic service is required.

VOLTMETRE



34600-93J00-000	055
Gauge size	2"
Background	Black
Applicable model	DF8AR/9.9AR/9.9BR/9.9T/15AR/20AR/25R/40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z,DT30R/40WR

To help your SUZUKI OUTBOARD MOTOR run at its best, monitor the charging system functioning with a VOLTMETER.



34600-93J11-000	056
Gauge size	2"
Background	White
Applicable model	DF8AR/9.9AR/9.9BR/9.9T/15AR/20AR/25R/40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z,DT30R/40WR

To help your SUZUKI OUTBOARD MOTOR run at its best, monitor the charging system functioning with a VOLTMETER.

SYSTEME DE CONTROLE DU TROLL-MODE*



COMPTE-TOURS AVEC ECHELLE POUR FONCTION DU TROLL MODE

34200-93J40-000	057
Gauge size	4"
Background	Black
Applicable model	DF40AT/50AT/60AT/70AT/80AT/90AT/100A-140A



COMPTE-TOURS AVEC ECHELLE POUR FONCTION DU TROLL MODE

34200-93J50-000	058
Gauge size	4"
Background	White
Applicable model	DF40AT/50AT/60AT/70AT/80AT/90AT/100A-140A

KIT D'INSTALLATION POUR SONDE DE PRESSION D'EAU

34660-90J01-000	
Applicable model	DF40AT/50AT/60AT/70AT/ 80AT/90AT/100A-140A

34660-96J00-000	
Applicable model	DF150T/Z/175T/Z

34660-93J00-000	052
Applicable model	DF200T/Z-250T/Z

KIT includes fittings and hoses needed for motor to gauge connection.



TACHOMETER

34200-93J40-000	057
34200-93J50-000	058


Double scaled analogue tachometer for SUZUKI TROLL MODE SYSTEM. Automatically switches to low RPM scale when the SUZUKI TROLL MODE SYSTEM is activated. Use these exclusive tachometers for SUZUKI TROLL MODE SYSTEM because existing tachometers don't indicate appropriate RPM while SUZUKI TROLL MODE SYSTEM is being activated.



PLAQUETTE DE CONTROLE DE TROLL MODE

37860-87L00-000	059
Applicable model	DF40AT/50AT/60AT/70AT/80AT/90AT/100A-140A/250A/300A

COMMANDE
MOTEUR
ELECTRONIQUE



KIT BOITIER DE COMMANDE ELECTRIQUE POUR BIMOTEUR

UNE STATION		STATION		DEUXIEME STATION (FLY)			
67000-98J28-000		KIT DU BOITIER DE COMMANDE PUPITRE		FIRST STATION 67000-98J28-000	+	SECOND STATION 67000-98J38-000	
DF300A DF250A	QTY	Applicable model Contents:		DF300A DF250A		DF300A DF250A	QTY
67200-98J13-000 062	1	BINNACLE MOUNT R/C BOX OR FLUSH MOUNT R/C BOX		67200-98J13-000 062	1	67200-98J13-000 062	2
-	1	MAIN SWITCH PANEL		37100-98J03-000 063	1	-	1
37100-98J03-000 063	1	CONTROL PANEL		37100-98J21-000 065	1	37100-98J21-000 065	2
37100-98J21-000 065	1	WARNING BUZZER		38500-93J90-000 094	1	38500-93J90-000 094	2
38500-93J90-000 094	1	WARNING BUZZER CLAMP		09407-08401-000	1	09407-08401-000	2
09407-08401-000	1	EMERGENCY SWITCH PANEL		-	-	37803-93J03-000 092	1
-	-	BATTERY LEAD		36625-98J10-000 076	1	-	1
36625-98J10-000 076	1	BOAT CONTROL MODULE (BCM)		36770-98J10-000 067	1	36770-98J10-000 067	2
36770-98J10-000 067	1	BCM HOLDER (L)		36775-98J00-000 068	1	36775-98J00-000 068	2
36775-98J00-000 068	1	BCM HOLDER (R)		36776-98J00-000 069	1	36776-98J00-000 069	2
36776-98J00-000 069	1	BCM CONNECT CAP		-	-	-	-
-	-	BCM CUSHION		33925-93J00-000 071	1	33925-93J00-000 071	2
33925-93J00-000 071	1	BCM #1 WIRING HARNESS		36623-98J30-000	1	-	1
36623-98J30-000	1	BCM #2 WIRING HARNESS		-	-	36624-98J11-000	1
-	-	TERMINAL RESISTOR		33926-98J00-000 077	2	-	2
33926-98J00-000 077	2	ENGINE WIRING HARNESS		36621-98J00-000 074	1	-	1
36621-98J00-000 074	1	DUAL STATION WIRING HARNESS		-	-	36622-98J00-000 075	1
-	-	HARNESS CLAMP		09403-13402-000	15	09403-13402-000	25
09403-13402-000	15	TROLL MODE SWITCH PANEL		37860-87L00-000 059	1	37860-87L00-000 059	2
37860-87L00-000 059	1						

KIT DE BOITIER DE COMMANDE ELECTRIQUE POUR MONOMOTEUR

UNE STATION		STATION		DEUXIEME STATION (FLY)			
67000-98J08-000		KIT DU BOITIER DE COMMANDE PUPITRE		FIRST STATION 67000-98J08-000	+	SECOND STATION 67000-98J18-000	
67000-98J67-000	QTY	KIT BOITIER DE COMMANDE LATERAL ENCASTRABLE		67000-98J67-000		DF300A DF250A	QTY
DF300A DF250A		Applicable model Contents:		DF300A DF250A		DF300A DF250A	
67200-98J03-000 060	1	BINNACLE MOUNT R/C BOX OR FLUSH MOUNT R/C BOX		67200-98J03-000 060	1	67200-98J03-000 060	2
67200-98J22-000 061	1	MAIN SWITCH PANEL		37100-98J03-000 063	1	-	1
37100-98J03-000 063	1	CONTROL PANEL		37100-98J11-000 064	1	37100-98J11-000 064	2
37100-98J11-000 064	1	WARNING BUZZER		38500-93J90-000 094	1	38500-93J90-000 094	2
38500-93J90-000 094	1	WARNING BUZZER CLAMP		09407-08401-000	1	09407-08401-000	2
09407-08401-000	1	EMERGENCY SWITCH PANEL		-	-	37803-93J03-000 092	1
-	-	BATTERY LEAD		36625-98J10-000 076	1	-	1
36625-98J10-000 076	1	BOAT CONTROL MODULE (BCM)		36770-98J10-000 067	1	36770-98J10-000 067	2
36770-98J10-000 067	1	BCM HOLDER (L)		36775-98J00-000 068	1	36775-98J00-000 068	2
36775-98J00-000 068	1	BCM HOLDER (R)		36776-98J00-000 069	1	36776-98J00-000 069	2
36776-98J00-000 069	1	BCM CONNECT CAP		33911-88BL0-000 070	1	33911-88BL0-000 070	2
33911-88BL0-000 070	1	BCM CUSHION		33925-93J00-000 071	1	33925-93J00-000 071	2
33925-93J00-000 071	1	BCM #1 WIRING HARNESS		36623-98J20-000 078	1	-	1
36623-98J20-000 078	1	BCM #2 WIRING HARNESS		-	-	36624-98J02-000 079	1
-	-	TERMINAL RESISTOR		33926-98J00-000 077	2	-	2
33926-98J00-000 077	2	ENGINE WIRING HARNESS		-	-	-	-
-	-	DUAL STATION WIRING HARNESS		-	-	36622-98J00-000 075	1
-	-	HARNESS CLAMP		09403-13402-000	10	09403-13402-000	20
09403-13402-000	10	TROLL MODE SWITCH PANEL		37860-87L00-000 059	1	37860-87L00-000 059	2
37860-87L00-000 059	1						

KIT DE BOITIER DE COMMANDE ELECTRIQUE POUR TRIPLE MOTEUR

UNE STATION		STATION		DEUXIEME STATION (FLY)			
67000-98J48-000		KIT DU BOITIER DE COMMANDE PUPITRE		FIRST STATION 67000-98J48-000	+	SECOND STATION 67000-98J58-000	
DF300A DF250A	QTY	Applicable model Contents:		DF300A DF250A		DF300A DF250A	QTY
67200-98J13-000 062	1	BINNACLE MOUNT R/C BOX OR FLUSH MOUNT R/C BOX		67200-98J13-000 062	1	67200-98J13-000 062	2
-	1	MAIN SWITCH PANEL		37100-98J03-000 063	1	-	1
37100-98J03-000 063	1	CONTROL PANEL		37100-98J31-000 066	1	37100-98J31-000 066	2
37100-98J31-000 066	1	WARNING BUZZER		38500-93J90-000 094	1	38500-93J90-000 094	2
38500-93J90-000 094	1	WARNING BUZZER CLAMP		09407-08401-000	1	09407-08401-000	2
09407-08401-000	1	EMERGENCY SWITCH PANEL		-	-	37803-93J03-000 092	1
-	-	BATTERY LEAD		36625-98J10-000 076	1	-	1
36625-98J10-000 076	1	BOAT CONTROL MODULE (BCM)		36770-98J10-000 067	1	36770-98J10-000 067	2
36770-98J10-000 067	1	BCM HOLDER (L)		36775-98J00-000 068	1	36775-98J00-000 068	2
36775-98J00-000 068	1	BCM HOLDER (R)		36776-98J00-000 069	1	36776-98J00-000 069	2
36776-98J00-000 069	1	BCM CONNECT CAP		-	-	-	-
-	-	BCM CUSHION		33925-93J00-000 071	1	33925-93J00-000 071	2
33925-93J00-000 071	1	BCM #1 WIRING HARNESS		36623-98J30-000	1	-	1
36623-98J30-000	1	BCM #2 WIRING HARNESS		-	-	36624-98J11-000	1
-	-	TERMINAL RESISTOR		33926-98J00-000 077	2	-	2
33926-98J00-000 077	2	ENGINE WIRING HARNESS		36621-98J10-000	1	-	1
36621-98J10-000	1	DUAL STATION WIRING HARNESS		-	-	36622-98J00-000 075	1
-	-	HARNESS CLAMP		09403-13402-000	18	09403-13402-000	28
09403-13402-000	18	TROLL MODE SWITCH PANEL		37860-87L00-000 059	1	37860-87L00-000 059	2
37860-87L00-000 059	1						

COMMANDE MOTEUR ELECTRONIQUE

CONTACTEUR A CLEF



37100-98J03-000 063
Single ignition with Emergency stop switch
Applicable model DF250A/300A

PANNEAU DE CONTROLE



37100-98J11-000 064
POUR MONOMOTEUR
Applicable model DF250A/300A



37100-98J21-000 065
POUR BIMOTEUR
Applicable model DF250A/300A



37100-98J31-000 066
POUR TRIPLE MOTEUR
Applicable model DF250A/300A

BOAT CONTROL MODULE (BCM)



36770-98J10-000 067
Applicable model DF250A/300A

BCM HOLDER (L/R)



36775-98J00-000 068
Applicable model DF250A/300A

36776-98J00-000 069
Applicable model DF250A/300A

BCM-CONNECT CAP



33911-88BL0-000 070
Applicable model DF250A/300A

BCM CUSHION



33925-93J00-000 071
Applicable model DF250A/300A

CONNEXION ENTRE MOTEUR ET SYSTEME DE COMMANDE

FAISCEAU PRINCIPAL



36620-98J30-000 072
6.5 meters for control system
Applicable model DF250A/300A

36620-98J10-000
9.5 meters for control system
Applicable model DF250A/300A

RALLONGE DE FAISCEAU



36620-98J20-000 073
2.0 meters for control system
Applicable model DF250A/300A

CONNEXION MOTEUR



36621-98J00-000 074
POUR BI MOTEUR
Applicable model DF250A/300A

36621-98J10-000
POUR TRIPLE MOTEUR
Applicable model DF250A/300A

CONNEXION POUR DOUBLE STATION (FLY)



36622-98J00-000 075
For dual station control system
Applicable model DF250A/300A

FAISCEAU DE BATTERIE



36625-98J10-000 076
6.5 meters
Applicable model DF250A/300A

RESISTANCE



33926-98J00-000 077
Applicable model DF250A/300A

FAISCEAU BCM



36623-98J20-000 078
POUR MONO MOTEUR
Applicable model DF250A/300A

36623-98J30-000
POUR BI MOTEUR
Applicable model DF250A/300A

FAISCEAU BCM POUR DEUXIEME STATION (FLY)



36624-98J02-000 079
POUR MONO MOTEUR
DEUX STATIONS (FLY)
Applicable model DF250A/300A

36624-98J11-000
PLUSIEURS MOTEURS
DEUX STATIONS (FLY)
Applicable model DF250A/300A

SYSTÈME DE COMMANDE MECANIQUE

CONTACTEUR A CLEF SIMPLE



37100-96J00-000 088
Single ignition
Applicable model DF9.9BR/15AR/20AR/25R/40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z, DT40WR/WK

37100-99E00-000
Single ignition
Applicable model DT30/R



PLAQUETTE D'ECLAIRAGE



37210-93J00-000 091
Applicable model DF9.9BR/15AR/20AR/25R/40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z, DT30/R/40W/WR/WK

CONTACTEUR A CLEF MONO MOTEUR



37100-96J23-000 089
AVEC COUPE CIRCUIT
Applicable model DF9.9BR/15AR/20AR/25R/40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z, DT40WR/WK

PLAQUETTE COUPE CIRCUIT



37803-93J03-000 092
Applicable model DF9.9BR/15AR/20AR/25R/40AT/50AT/60AT/70AT/80AT/90AT/100A-300A

CONTACTEUR A CLEF BI-MOTEUR



37100-96J13-000 090
AVEC COUPE CIRCUIT
Applicable model DF100A-250T/Z

PLAQUETTE DE CONTROL DU TRIM



37805-93J00-000 093
Applicable model DF40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z

ALARME SONORE



38500-93J90-000 094
Applicable model DDF9.9BR/15AR/20AR/25R/40AT/QH-300A

EMBOUT DE GAINÉ



67300-90J00-000
Applicable model DF70AT/TH-140A

67300-93J00-000 095
Applicable model DF150T/Z-300A

GAINÉ POUR PASSAGE DE CABLE MOTEUR



990C0-20010-000 096
Single, dual, triple engine installations. One kit is necessary for each engine used. When attaching the rigging tube to the engine, adapter kit 67300-90J00-000/67300-93J00-000 is also required for each engine.
Applicable model DF70AT-140T/Z, DF150T/Z-300T/Z (model year 2006-)

KIT DE JUMELLAGE BOITIER LATÉRAL



67140-95600-000 097
Applicable model DF8AR/9.9AR/9.9T/TH/9.9BR/15AR/20AR/40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z, DT9.9/K/15/K/40W/WR/WK

CABLE POUR COMMANDE A DISTANCE



67320-93J00-000 098
8 feet 2.44 meters
Applicable model DF4-250T/Z, DT9.9-40WR

67320-93J10-000
10 feet 3.05 meters
Applicable model DF4-250T/Z, DT9.9-40WR

67320-93J20-000
12 feet 3.66 meters
Applicable model DF4-250T/Z, DT9.9-40WR

67320-93J30-000
14 feet 4.27 meters
Applicable model DF4-250T/Z, DT9.9-40WR

67320-93J40-000
16 feet 4.88 meters
Applicable model DF4-250T/Z, DT9.9-40WR

67320-93J50-000
18 feet 5.49 meters
Applicable model DF4-250T/Z, DT9.9-40WR

67320-93J60-000
20 feet 6.10 meters
Applicable model DF4-250T/Z, DT9.9-40WR

67320-93J70-000
22 feet 6.71 meters
Applicable model DF4-250T/Z, DT9.9-40WR

67320-93J80-000
24 feet 7.32 meters
Applicable model DF4-250T/Z, DT9.9-40WR

GENUINE REMOTE CONTROL CABLES employ the latest in cable technology. The inner core is encased in nylon, and travels back and forth in a high density polyethylene liner.

67130-89L00-000
Applicable model DF15A/20A

67130-99J00-000
Applicable model DF8A/9.9A

CLAMP BRACKET SET (41100-99J00-0EP) is required for installing 67130-99J00-000.

CABLE DE COMMANDE PERFORMANCE



99105-11001-015 099
15 feet 4.57 meters
Applicable model DF4-250T/Z, DT9.9-40WR

99105-11001-017
17 feet 5.18 meters
Applicable model DF4-250T/Z, DT9.9-40WR

99105-11001-019
19 feet 5.79 meters
Applicable model DF4-250T/Z, DT9.9-40WR

99105-11001-021
21 feet 6.40 meters
Applicable model DF4-250T/Z, DT9.9-40WR

99105-11001-023
23 feet 7.01 meters
Applicable model DF4-250T/Z, DT9.9-40WR

99105-11001-025
25 feet 7.62 meters
Applicable model DF4-250T/Z, DT9.9-40WR

99105-11001-027
27 feet 8.23 meters
Applicable model DF4-250T/Z, DT9.9-40WR

CE CABLE PERMET DE REDUIRE LES PROBLEMES DE FRICTION POUR UNE TRES BONNE SOUPLESSE ET PRECISION DE LA COMMANDE

KIT DE COMMANDE A DISTANCE

Converts ME model to REMOTE CONTROL model



67130-91J01-000 100
Applicable model DF4-6

67130-94J11-000
Applicable model DF9.9TH



67130-95J02-000 101
Applicable model DF25

DIRECTION



TILLER HANDLE KIT

Main features



Tachometer with warning indicators

- Digital tachometer with indicators for the first time of all the tiller handles in the marine industry.
- The check pattern panel makes the digital tachometer display clearly visible.
- Reliable for the critical information from the warning indicators.
- 3 digits digital tachometer shows RPM during cruising or trolling.



Shift lever

- Round shape for comfortable grip.
- Moderate shifting feeling.



Angle adjustable bracket

- The angle adjustable bracket changes the basic handle position in three levels.
- That will help better handle positioning in accordance with user's boat.



Troll mode switch

- Activates SUZUKI Troll Mode System and controls RPM from idling engine speed up to 1200rpm at every 50rpm.



Power trim & tilt switch and throttle grip friction adjuster

- The PTT switch at the toe of the grip bar helps users to control the trim position and throttling at the same time.
- The throttle grip friction adjuster at the base of the grip bar supports user's throttle control.

KIT BARRE FRANCHE



The conventional kits are also applicable.

63001-94J23-0EP

Applicable model DF15R

63002-88L03-0EP

Applicable model DF40A-60A

63002-87L02-0EP

Applicable model DF70A-90A

63002-90J26-0EP

With adjustable steering damper

Applicable model DF100A/115A

CONTENTS: Ignition switch, engine stop switches, wiring harness, cables and grommets
TILLER HANDLE KITS are designed for easy installation for selected electric start models.

KIT D'EXTENSION DIRECTION POUR MONTAGE BI MOTEUR



99105-10005-000

107

For installation of dual engine tie bar (67600-90J00-000)

Applicable model DF100T-DF140T/Z



67630-93J00-000

108

For installation of dual engine tie bar (67600-93J00-000)

Applicable model DF150T/Z-250T/Z

SYSTEME POUR CONNEXION DU CABLE DE DIRECTION



41141-89E00-000

109

Applicable model DF9.9T/TH, DT9.9-15K

Must be used when installing through tilt tube steering to ensure steering angles are equal to the left and right.

KIT DE DIRECTION



67720-93E00-000

110

Applicable model DF9.9TH

JOINT CABLE DE DIRECTION



41161-94400-000

111

Applicable model DF8AR/9.9AR/9.9T/9.9B/R-20A/R/25R/40A-250T/Z, DT9.9-40WR

BARRE D'ACCOUPLEMENT

67600-93J00-000

Stainless steel

Applicable model DF150T/Z-250T/Z

STEERING BRACKET ATTACHMENT



43755-94J01-000

112

Applicable model DF9.9TH

43755-94JA0-000

Applicable model DF9.9T

43755-95J01-000

Applicable model DF25Q/R

Used to connect DRAG LINK.

BILLETTE DE DIRECTION



67700-87L00-000

Applicable model DF70A-90A

67700-93J00-000

Applicable model DF4.0AQH/50ATH/60AT/TH/QH/200T/Z-250T/Z

67700-95J01-000

Applicable model DF25/R/Q

67700-96J00-000

Applicable model DF150T/Z/175T/Z

67701-87J11-000

Applicable model DF4.0AT/QH-60AT/TH/QH/200T/Z-250T/Z

67701-87L00-000

Applicable model DF70AT-90AT/TH

67701-90J00-000

Applicable model DF100A-140A

67701-93E12-000

113

Applicable model DF9.9T/TH

67701-94JA0-000

Applicable model DF9.9T

67701-95J00-000

Applicable model DF25/R/Q

67701-96J00-000


Applicable model DF150T/Z/175T/Z

67701-94420-000

Applicable model DT25K/30/R

PARTIES ÉLECTRIQUES

KIT DEMARRAGE ELECTRIQUE



31000-94J02-000
Applicable model DF9.9T/TH

31000-95J01-000 114
Applicable model DF25/Q

31000-99J00-000
Applicable model DF8A/9.9A

Converts MZ model into ME model.

KIT DE CHARGE BATTERIE

32000-91J00-000
80W
Applicable model DF4-6

32000-94J01-000
80W
Applicable model DF9.9T/TH

32000-89L00-000
80W
Applicable model DF15A/20A

32000-95J01-000
80W
Applicable model DF25/Q

32000-99J00-000
80W
Applicable model DF8A/9.9A

PONT POUR CONTRE ROTATION

36612-98J00-000
MODELE APPLICABLE
DF250A/DF300A

Converts T specification into Z specification.

KIT REDRESSEUR



32801-91J00-000 115
Applicable model DF4-6



32801-94J01-000 116
Applicable model DF9.9T/TH



32801-95J01-000 117
Applicable model DF8A/9.9A/25/Q



32801-96304-000 118
Applicable model DT25K/30



32801-94402-000 119
Applicable model DT40W/40WR/40WK

KIT DE CHARGE BATTERIE



39600-91J00-000 120
Applicable model DF4-6



39600-94J01-000 121
Applicable model DF8A/9.9A/9.9T/TH/15A/R/20A/R



39600-95J01-000 122
Applicable model DF25/Q



39600-93910-000 123
Applicable model DT9.9/K-40W/WR/WK

FAISCEAU DE CHARGE POUR BATTERIE ACCESSOIRE



33830-96J00-000 125
Applicable model DF150T/Z/175T/Z

33830-98J10-000
Applicable model DF300A/250A

ALTERNATEUR ET CAPTEUR



32120-94J10-000
12V, 120W
Applicable model DF9.9T/TH

32120-95J00-000 126
12V, 180W
Applicable model DF25/Q

Raises the standard output (12V, 80W) to a larger output (12V, 120 or 180W).

ANODE



ANODE EN ZINC



41811-98500-000 129
Applicable model DF9.9T/TH, DT9.9/K/15/K



55300-95500-000 130
Applicable model DF8A-20A/40A-60A, DT9.9/K-40W/WR/WK




55320-95311-000 131
Applicable model DF40-60A, DF150-300A



55321-93900-000 132
Applicable model DF9.9T/TH, DT9.9/K/15/K



55125-96310-000 133
Applicable model DF25/R/Q, DT25K/30/R



55321-90J01-000 134
Applicable model DF100A-140A



55125-95500-000 135
Applicable model DF100T-140T

ANODE D'ALUMINIUM POUR EAU DOUCE ET EAU SALEE



55321-87J00-000 136
Applicable model DF2.5-300A, DT9.9/K/15/K



55320-94900-000 137
Applicable model DF60A-300A



55321-95J00-000 138
Applicable model DF2.5/25/R/Q




55321-99E00-000 139
Applicable model DF2.5/9.9T/TH

55321-93J00-000
Applicable model DF150-300A

ANODE DE MAGNÉSIUM POUR EAU DOUCE



55321-87J10-000 140
Applicable model DF2.5-300



55321-94910-000 141
Applicable model DF70A-300A

SYSTÈME D'ALIMENTATION

RÉSERVOIR À ESSENCE

NOTE : These tanks do not meet US-EPA requirements.



65000-99100-000	142
12 litre plastic tank with no fuel level gauge	
Applicable model	DF5-20A/R, DT9.9K/15K/25K/40WK

65000-95D01-000	143
25 litre plastic tank with a fuel level gauge	
Applicable model	DF5-140A, DT9.9K-40W/WR/WK

BOUCHON DE RÉSERVOIR DE REMPLACEMENT

NOTE : These caps do not meet US-EPA requirements.

65520-99100-000
for 12 litre tank with no fuel level gauge
Applicable model
DF5-20A/R, DT9.9K-40W/WR/WK

65520-95D00-000
for 25 litre tank with a fuel level gauge
Applicable model
DF5-140A, DT9.9K-40W/WR/WK

CONNECTEUR POUR TUYAUX DE CARBURANT

	
65750-98505-000	144
Metal, inner diameter: 11.2 mm	
Applicable model	DF4-20A/R, DT9.9/K-40W/ WR/WK

	
65750-87J11-000	145
Plastic, inner diameter: 6.6 mm	
Applicable model	DF4-25/R/Q

	
65750-95500-000	146
Metal, inner diameter: 13.0 mm	
Applicable model	DF8A/R-140A, DT9.9/K-40W/WR/WK

CONNECTEUR (COTÉ MOTEUR)

	
65720-986B0-000	147
Plastic	
Applicable model	DF4-25/R/Q

CONNECTEUR (COTÉ RESERVOIR)

	
65740-95D01-000	148
Outer diameter: 13 mm, 1/4" NPT	
Applicable model	DF8A/R-140A, DT9.9/K-40W/WR/WK

POIRE A ESSENCE

	
65770-94J01-000	149
Small in & large out	
Applicable model	DF4-8A/R/9.9A/R, DT9.9K/25K/40WK

65770-90J10-000
Large in & large out
Applicable model
DF8A/R/9.9A/R/15A/R-140A, DT9.9K/15/25K/40WK

65770-93J11-000
Large in & large out
Applicable model
DF150T/Z-300A

65770-94J11-000
Large in & small out
Applicable model
DT9.9K-40W/WR/WK



LIGNE ESSENCE

65700-94JD0-000
for 12 litre plastic tank to engine
Applicable model
DF4-8A/R/9.9A/R

65700-93J01-000	150
for fuel tank to engine	
Applicable model	
DF150T/Z-300A	

65700-87J13-000
for 25 litre plastic tank to engine
Applicable model
DF8A-25/R/Q

65700-90J13-000
for 25 litre plastic tank to engine
Applicable model
DF40A-140A


65700-95D03-000
for 12 litre plastic tank to engine (gasoline)
Applicable model
DT9.9K/25K/40WK

65700-96362-000
for 25 litre plastic tank to engine (kerosene)
Applicable model
DT9.9K/25K/40WK

65700-94415-000
with fuel filter (gasoline)
Applicable model
DT9.9K/15K/25K/40WK

65700-94433-000
with fuel filter (kerosene)
Applicable model
DT9.9K/15K

FUEL HOSE COMPONENT CHART



FUEL HOSE COMPONENT		SOCKET				HOSE			SQUEEZE PUMP	HOSE				SOCKET		
Part number	A Length (mm)	Material	B I/D (mm)	Part Number	C Length (mm)		I/D (mm)	O/D (mm)		D Length (mm)		I/D (mm)	O/D (mm)	Material	E I/D (mm)	Part number
65700-94JD0-000	1970	Plastic	6.6	65750-87J11-000	700	Large	7.3	12.5	65770-94J01-000	1100	Small	5.3	10.5	Metal	11.2	65750-98505-000
65700-93J01-000	2370	(no socket)	-	-	(no hose)	-	-	-	65770-93J11-000	2250	Large	9.0	14.0	(no socket)	-	-
65700-87J13-000	1970	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-90J10-000	1100		7.3	12.5	Metal	13	65750-95500-000
65700-90J13-000	1250	(no socket)	-	-	(no hose)	-	-	-	65770-90J10-000	1100		7.3	12.5	Metal	13	65750-95500-000
65700-95D03-000	2550	Metal	13.0	65750-95500-000	300		7.3	12.5	65770-94J01-000	2090		5.3	10.5	Metal	11.2	65750-98505-000
65700-96362-000	2620	Metal	11.2	65750-98505-000	300		5.3	10.5	-	2250		7.3	12.5	Metal	13	65750-95500-000
65700-94415-000	3100	Metal	13.0	65750-95500-000	300		7.3	12.5	65770-90J10-000	2600		7.3	12.5	-	-	-
65700-94433-000	3100	Plastic	13.8	65750-94404-000	3000		7.3	12.5	-	-		-	-	-	-	-

65700-91J24-000	2000	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-94J01-000	1100		5.3	10.5	Metal	11.2	65750-98505-000
65700-94JC2-000	3300	Plastic	6.6	65750-87J11-000	2000		7.3	12.5	65770-94J01-000	1100		5.3	10.5	Metal	11.2	65750-98505-000
65700-87D81-000	2590	Metal	11.2	65750-98505-000	300		5.3	10.5	65770-94J11-000	2090		7.3	12.5	Metal	13	65750-95500-000
65700-87J24-000	2000	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-90J01-000	1100		7.3	12.5	Metal	13	65750-95500-000
65700-88L02-000	1280	(no socket)	-	-	(no hose)	-	-	-	65770-90J01-000	1100		7.3	12.5	Metal	13	65750-95500-000

SYSTÈME D'ALIMENTATION



HÉLICES



FILTRE A ESSENCE ET SEPARATEUR D'EAU



65900-98J00-000

151

Applicable model DF8A-300A, DT9.9/K-40W/WR/WK

FILTRE DE REMPLACEMENT



65910-98J00-000

152

For water separator/fuel filter 65900-98J00-000

Applicable model DF8A-300A, DT9.9/K-40W/WR/WK

FILTRE A ESSENCE ET SEPARATEUR D'EAU



99105-20005-ASY

153

Normal size

Applicable model DF70AT-300T/Z

CARTOUCHE DE REMPLACEMENT

99105-20005-000

For normal size

Applicable model DF70AT-300T/Z

VASE ET DRAIN

99105-20004-BWL

For normal size

Applicable model DF70AT-300T/Z

FILTRE A ESSENCE ET SEPARATEUR D'EAU



99105-20006-ASY

154

Compact size

Applicable model DF70AT-140T/Z

CARTOUCHE DE REMPLACEMENT

99105-20006-000

For compact size

Applicable model DF70AT-140T/Z

VASE ET DRAIN

99105-20006-BWL

For compact size

Applicable model DF70AT-140T/Z

HELICES 4 PALES

model	material	blade	diameter	pitch	rotation*	part number
DF9.9	Aluminium	4	10	5	RR	58100-94JA0-019
DF150	Stainless	4	15 1/4	18	RR	58300-93J00-000
DF175	Stainless	4	15 1/4	20	RR	58300-93J10-000
DF200	Stainless	4	15 1/4	22	RR	58300-93J20-000
DF225	Stainless	4	15 1/4	24	RR	58300-93J30-000
DF250	Stainless	4	15 1/4	26	RR	58300-93J40-000
DF300	Stainless	4	15 1/4	20	CR	58300-93JA0-000
	Stainless	4	15 1/4	22	CR	58300-93JB0-000
	Stainless	4	15 1/4	24	CR	58300-93JC0-000
	Stainless	4	15 1/4	26	CR	58300-93JD0-000
DF150	Stainless	4	14 3/8	23	RR	990C0-00834-23P
DF175	Stainless	4	14 3/8	25	RR	990C0-00834-25P
	Stainless	4	14 3/8	27	RR	990C0-00834-27P
	Stainless	4	14 3/8	28	RR	990C0-00834-28P
	Stainless	4	14 3/8	29	RR	990C0-00834-29P
DF200	Stainless	4	15	20	RR	990C0-00840-20P
DF225	Stainless	4	15	22	RR	990C0-00840-22P
DF250	Stainless	4	15	24	RR	990C0-00840-24P
DF300	Stainless	4	15	26	RR	990C0-00840-26P
	Stainless	4	15	20	CR	990C0-0084L-20P
	Stainless	4	15	22	CR	990C0-0084L-22P
	Stainless	4	15	24	CR	990C0-0084L-24P
	Stainless	4	15	26	CR	990C0-0084L-26P



HÉLICES



KIT BUTE HÉLICE

Applicable Model	STOPPER		PROPELLER BUSH		HARDWARE KIT	Contents of HARDWARE KIT			
	57635-91JL0-000	SPACER				SPACER	WASHER	NUT	COTTER PIN
DF2.5	57635-91JL0-000	-	58120-97JA0-000	Press-In	N/A	-	-	58130-91JL0-000	09204-03003-000
DF4/5/6	57635-91JL0-000	-	58120-91J00-000	Press-In	N/A	-	-	58130-91JL0-000	09204-03003-000
DF8A/9.9A	57632-94J00-000	-	58120-93701-000	Press-In	57630-99J00-000	57633-93901-000	09160-12066-000	09141-12005-000	09204-02004-000
DF9.9 DT9.9/15	57632-94J00-000	-	58120-93701-000	Press-In	57630-93900-000	57633-93901-000	09160-12066-000	09141-12005-000	09204-02004-000
DF9.9 with HIGH THRUST propeller	57632-94J00-000	-	58120-94JA0-000	Press-In	57630-93900-000	57633-93901-000	09160-12066-000	09141-12005-000	09204-02004-000
DF9.9B/15A/20A	57632-94J00-000	-	58120-89L00-000	Press-In	N/A	-	09160-12066-000	09141-12005-000	09204-02004-000
DF25	57632-95J00-000	-	58120-96401-000	Press-In	57630-96300-000	57633-96300-000	09160-14028-000	09141-14008-000	09204-03003-000
DT25/30	57632-91L00-000	-	58120-96401-000	Press-In	57630-96300-000	57633-96300-000	09160-14028-000	09141-14008-000	09204-03003-000
DT40	57632-92L00-000	-	58120-88L01-000	Press-In	57630-94300-000	57633-94300-000	09160-18028-000	09141-18005-000	09204-03003-000
DF40A/50A/60A	57632-95320-000	-	58120-88L01-000	Press-In	57630-94300-000	57633-94300-000	09160-18028-000	09141-18005-000	09204-03003-000
DF70A/80A/90A	57632-87L00-000	-	*58105-90J00-000 **58120-90J00-000	Press-In	57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF100A/115A T model (Right-Hand-Rotation)	57635-90J01-000	57632-90J00-000			57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF115A Z model (Counter-Rotation)	57635-92J01-000	-			57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF140A	57635-92J01-000	-			57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF150-300A	57632-93L00-000	-			***58105-93J00-000 ****58105-93J10-000	Press-In	57630-92E00-000	57633-87D30-000	09160-18028-000

*58105-90J00 is for 58100-87Lxx, 58100-90Jxx, 58200-92J4x-92J9x and 58200-92JAx-92JDx.
**58120-90J00 is for 58200-90J0x-90J3x and 58200-92J0x-92J3x.
***58105-93J00 is for 58200-96Jxx.
****58105-93J10 is for 58200-93JXX, 58200-93Lxx and 58300-93Jxx.

*Rotation: RR: Right-Hand-Rotation model, CR: Counter-Rotation model

model	type	material	blade	diameter	pitch	rotation*	description	part number
DF2.5	A520	Aluminum	3	7 3/8	5 3/8	RR		58110-97JA0-019
DF4	C601	Aluminum	3	7 1/2	6	RR		58110-91J00-019
DF5	C611	Aluminum	3	7 1/2	6 1/2	RR		58110-91J10-019
DF6	C701	Aluminum	3	7 1/2	7	RR		58110-91J20-019
DF8A	M701	Aluminum	3	9 1/4	7	RR		58100-93703-019
DF9.9	M821	Aluminum	3	9 1/4	8	RR	THICK	58100-90L00-019
DF9.9A	M901	Aluminum	3	9 1/4	9	RR		58100-94J00-019
DF15	M911	Aluminum	3	9 1/4	9	RR	THICK	58100-90L10-019
DT9.9	M1001	Aluminum	3	9 1/4	10	RR		58100-93733-019
DT15	M1011	Aluminum	3	9 1/4	10	RR	THICK	58100-90L21-019
	M1101	Aluminum	3	9 1/4	11	RR		58100-93743-019
DF9.9		Aluminum	4	10	5	RR	High thrust	58100-94JA0-019
DF9.9B		Aluminum	3	9 1/4	7	RR		58100-89L00-019
DF15A		Aluminum	3	9 1/4	8	RR	THICK	58100-90L40-019
DF20A		Aluminum	3	9 1/4	9	RR		58100-89L20-019
		Aluminum	3	9 1/4	9	RR	THICK	58100-90L50-019
		Aluminum	3	9 1/4	10	RR		58100-89L30-019
		Aluminum	3	9 1/4	10	RR	THICK	58100-90L60-019
		Aluminum	3	9 1/4	11	RR		58100-89L40-019
DF25	P911	Aluminum	3	10 1/4	9	RR	THICK	58100-96371-019
DT25	P1001	Aluminum	3	10 1/4	10	RR		58100-96411-019
DT30	P1011	Aluminum	3	10 1/4	10	RR	THICK	58100-96471-019
	P1101	Aluminum	3	10 1/4	11	RR		58100-96421-019
	P1201	Aluminum	3	10 1/4	12	RR		58100-91L00-019
	P1211	Aluminum	3	10 1/4	12	RR	THICK	58100-96481-019
	P1301	Aluminum	3	10 1/4	13	RR		58100-96440-019
	P1311	Aluminum	3	10 1/4	13	RR	THICK	58100-96491-019
	P1401	Aluminum	3	10 1/4	14	RR		58100-95D00-019
	P1501	Aluminum	3	10 1/4	15	RR		58100-96461-019
DT25/30	PS1300	Stainless	3	10 1/4	13	RR		58200-96400-000
DF40A	S900	Aluminum	3	11 1/2	9	RR		58100-88L03-019
DF50A	S1000	Aluminum	3	11 1/2	10	RR		58100-88L13-019
DF60A	S1100	Aluminum	3	11 1/2	11	RR		58100-88L23-019
DT40	S1200	Aluminum	3	11 5/8	12	RR		58100-88L32-019
	S1301	Aluminum	3	11 1/2	13	RR		58100-88L42-019
	S1400	Aluminum	3	11 3/8	14	RR		58100-88L52-019
	S1500	Aluminum	3	11 1/4	15	RR		58100-88L62-019
	S1600	Aluminum	3	11 1/8	16	RR		58100-88L72-019
	S1700	Aluminum	3	11	17	RR		58100-88L82-019
	SS1300	Stainless	3	11 1/2	13	RR		58200-88L00-000
	SS1400	Stainless	3	11 3/8	14	RR		58200-88L10-000
	SS1600	Stainless	3	11 1/8	16	RR		58200-88L30-000



model	material	blade	diameter	pitch	rotation*	part number
DF70A	Aluminum	3	14	13	RR	58100-87LA0-019
DF80A	Aluminum	3	13 7/8	15	RR	58100-87L10-019
DF90A	Aluminum	3	13 3/4	17	RR	58100-87LC0-019
	Aluminum	3	13 3/4	19	RR	58100-87L30-019
	Aluminum	3	13 3/4	21	RR	58100-87L40-019
	Aluminum	3	13 3/4	23	RR	58100-87L50-019
	Aluminum	3	13 1/2	15	RR	58100-90JE0-019
	Aluminum	3	14	17	RR	58100-90JA0-019
	Aluminum	3	14	19	RR	58100-90JB0-019
	Aluminum	3	14	21	RR	58100-90JC0-019
	Aluminum	3	14	23	RR	58100-90JD0-019
	Stainless	3	14 1/4	18	RR	99105-00700-18P
	Stainless	3	14 1/4	20	RR	99105-00700-20P
	Stainless	3	14 1/4	22	RR	58200-90J20-000
	Stainless	3	14 1/4	24	RR	99105-00700-24P
	Stainless	3	13 7/8	15	RR	58200-92J40-000
	Stainless	3	13 7/8	17	RR	58200-92J50-000
	Stainless	3	13 7/8	19	RR	58200-92J60-000
	Stainless	3	13 7/8	21	RR	58200-92J70-000
	Stainless	3	13 7/8	23	RR	58200-92J80-000
	Stainless	3	13 7/8	25	RR	58200-92J90-000

DF100A	Aluminum	3	13 1/2	15	RR	58100-90JE0-019
DF115A	Aluminum	3	14	17	RR	58100-90JA0-019
DF140A	Aluminum	3	14	19	RR	58100-90JB0-019
	Aluminum	3	14	21	RR	58100-90JC0-019
	Aluminum	3	14	23	RR	58100-90JD0-019
	Stainless	3	14 1/4	18	RR	99105-00700-18P
	Stainless	3	14 1/4	20	RR	99105-00700-20P
	Stainless	3	14 1/4	22	RR	58200-90J20-000
	Stainless	3	14 1/4	24	RR	99105-00700-24P
	Stainless	3	14 1/4	18	CR	99105-0070L-18P
	Stainless	3	14 1/4	20	CR	99105-0070L-20P
	Stainless	3	14 1/4	22	CR	99105-0070L-22P
	Stainless	3	14 1/4	24	CR	58200-92J30-000
	Stainless	3	13 7/8	15	RR	58200-92J40-000
	Stainless	3	13 7/8	17	RR	58200-92J50-000
	Stainless	3	13 7/8	19	RR	58200-92J60-000
	Stainless	3	13 7/8	21	RR	58200-92J70-000
	Stainless	3	13 7/8	23	RR	58200-92J80-000
	Stainless	3	13 7/8	25	RR	58200-92J90-000
	Stainless	3	13 7/8	17	CR	58200-92JA0-000
	Stainless	3	13 7/8	19	CR	58200-92JB0-000
	Stainless	3	13 7/8	21	CR	58200-92JC0-000
	Stainless	3	13 7/8	23	CR	58200-92JD0-000

model	material	blade	diameter	pitch	rotation*	part number
DF150	Stainless	3	16	15	RR	58200-93L80-000
DF175	Stainless	3	16	17	RR	58200-93L00-000
DF200	Stainless	3	16	18 1/2	RR	58200-93L10-000
DF225	Stainless	3	16	20	RR	58200-93L20-000
DF250	Stainless	3	16	21 1/2	RR	58200-93L30-000
DF250A	Stainless	3	16	23	RR	58200-93L40-000
DF300A	Stainless	3	16	24 1/2	RR	58200-93L50-000
	Stainless	3	16	26	RR	58200-93J60-000
	Stainless	3	16	27 1/2	RR	58200-93J70-000
	Stainless	3	16	17	CR	58200-93LE0-000
	Stainless	3	16	18 1/2	CR	58200-93LA0-000
	Stainless	3	16	20	CR	58200-93LB0-000
	Stainless	3	16	21 1/2	CR	58200-93LC0-000
	Stainless	3	16	23	CR	58200-93JD0-000
	Stainless	3	16	24 1/2	CR	58200-93JF0-000
	Stainless	3	16	26	CR	58200-93JG0-000
	Stainless	3	15 1/2	17	RR	58200-96J00-000
	Stainless	3	15 1/4	19	RR	58200-96J10-000
	Stainless	3	15	21	RR	58200-96J20-000
	Stainless	3	14 3/4	23	RR	58200-96J30-000
	Stainless	3	14 1/2	25	RR	58200-96J40-000
	Stainless	3	14 1/2	27	RR	58200-96J50-000
	Stainless	3	15 1/2	17	CR	58200-96JA0-000
	Stainless	3	15 1/4	19	CR	58200-96JB0-000
	Stainless	3	15	21	CR	58200-96JC0-000
	Stainless	3	14 3/4	23	CR	58200-96JD0-000
	Stainless	3	14 1/2	25	CR	58200-96JE0-000
	Stainless	3	14 1/2	27	CR	58200-96JF0-000
	Stainless	4	15 1/4	18	RR	58300-93J00-000
	Stainless	4	15 1/4	20	RR	58300-93J10-000
	Stainless	4	15 1/4	22	RR	58300-93J20-000
	Stainless	4	15 1/4	24	RR	58300-93J30-000
	Stainless	4	15 1/4	26	RR	58300-93J40-000
	Stainless	4	15 1/4	20	CR	58300-93JA0-000
	Stainless	4	15 1/4	22	CR	58300-93JB0-000
	Stainless	4	15 1/4	24	CR	58300-93JC0-000
	Stainless	4	15 1/4	26	CR	58300-93JD0-000

PROTECTION

EMBOUT DE RINCAGE



55181-95200-000 155

Applicable model DF4-6/9.9T/TH/40A-60A,DT9.9-40W



17917-87L00-000 156

Applicable model DF8A/R/9.9A/R/9.9B/R/15A/R-300A



HOUSSE DE PROTECTION



990F0-88L00-010 157

Applicable model DF40A/DF50A/DF60A with new 4stroke logo



990F0-87J00-010

Applicable model DF40/50

990F0-99E00-010 158

Applicable model DF60/70

990F0-87L00-010

Applicable model DF70A/80A/90A

990F0-90J00-010

Applicable model DF90/115

990F0-92J00-010

Applicable model DF140

990F0-96J00-010

Applicable model DF150/175

990F0-93J00-010

Applicable model DF200/225/250

990F0-98J00-010

Applicable model DF300



68110-89L00-000

Applicable model DF8A-20A, DT9.9/15

68110-88L00-000

Applicable model DF25/40A-60A, DT25/30

68110-87L00-000

Applicable model DF70A-140A, DT40

68110-96J00-000

Applicable model DF150T/Z-250T/Z

68110-98J00-000 159

Applicable model DF250A/300A

HOUSSE DE PROTECTION HÉLICE



990F0-87J00-020 160

11-12"/30cm

990F0-87L00-020

13-14"/35cm

990F0-93J00-020

15-16"/40cm

SAC DE TRANSPORT



990F0-97J00-B25 161

Applicable model DF2.5

Robust nylon textile bag, tailor made for transport and storage of the engine.

PRODUITS DE MAINTENANCE

PATE A JOINT



93691-80030-000 162

SILICONE SEAL KE45T

100 grams



99000-31140-THR 163

1207B (BLACK)

100 grams (3.4 oz)

GRAISSE



99000-25011-000 164

SUPER GREASE-A

450 grams (15.8 oz) for crank oil seal



99000-25350-000 165

WATER RESISTANT GREASE EP2

250 grams (8.8 oz)



99000-25140-000 166

MOLY PASTE

50 grams (1.7 oz)

FREIN FILET



99000-32130-000 167

FREINE

50 grams (1.7 oz)



99000-32110-THR 168

ETANCHE

50 grams (1.7 oz)

PEINTURE

99000-10202-0EP

Touch-up paint set black

12ml

997SO-41004-CLR 169

AE clear coat

400ml

997SO-41004-0EP 170

AE shadow black metallic

400ml

997SO-41004-0ED 171

AE california grey metallic

400ml



PRODUITS DE MAINTENANCE

HUILE D'EMBASE



99000-79N12-M07 172
SAE 90, API GL-5
Packaging unit 24 x 0.35 litre



99000-79N12-M08 173
“S” MARINE GEAR OIL SAE90
Packaging unit 12 x 1 litre

L’HUILE SUZUKI PAR MOTUL

L’huile Suzuki by Motul a été développée suite à un long partenariat établi en compétition.

L’extension de cette relation éprouvée a mené au développement de nouvelles huiles. Ces gammes d’huiles ont une excellente stabilité d’oxydation et fournissent une protection contre la corrosion remarquable sous des conditions de fonctionnement extrêmes.

HUILE MOTEURS



174
SAE 10W-30 semi synthetic
4 x 5 litre FCW

SAE 10W-30 semi synthetic
20 x 1 litre FCW

SAE 10W-30 semi synthetic
60 litre FCW

SAE 10W-30 semi synthetic
208 litre FCW



175
SAE 10W-40 semi synthetic
4 x 5 litre FCW

SAE 10W-40 semi synthetic
12 x 1 litre FCW

SAE 10W-40 semi synthetic
60 litre FCW

SAE 10W-40 semi synthetic
208 litre FCW

HUILE HYDRAULIQUE



990F0-22541-001 176
Dexron III for all Suzuki 2 and 4 stroke outboard powertrim/tilt systems
1 litre FCW

PROTECTION EXTERNE



997SO-KONS3-001 177
P4
250 ml

BATTERIES

BATTERIE DE DEMARRAGE



990F0-OPSTA-055 178
Optima BlueTop DC4.2
Nominal voltage 12 volts, capacity 55 Ah

990F0-OPSTA-075
Optima BlueTop DC5.5
Nominal voltage 12 volts, capacity 75 Ah

BOOSTER DE BATTERIE

990F0-OPVER-050
Optima BlueTop SLI4.2
Nominal voltage 12 volts, capacity 50 Ah

CHARGEUR DE BATTERIE



990E0-OPTIM-CAR 179
OptiMate 6, versatile battery charger, maintainer and tester. Recommended for STS/AGM/MF/GEL and spiral cell batteries from 15 Ah to 240 Ah.

SYSTEMES D’ALARME

SYSTEME D’ALARME COMPACT



990F0-ALARM-002 180
Applicable models DF40 – DF140 from 2005- DF200 – DF250 from 2004- DF150 – DF175 from 2006-

Easy to mount, Suzuki outboard engine dedicated plug & play connection. The various features of this waterproof remote controlled alarm system include e.g. system disarming by pin code, remote control, optical and acoustical signalization, engine stop function, cable cutting protection, and many more. Includes 1 micro magnetic contact.

MICRO CONTACTEUR ETANCHE.

990F0-ALARM-004
Peut être utilisé en complément de l’alarme du moteur pour sécuriser l’ensemble du bateau

Part name		Volume	Part number	DF300	DF250	DF225	DF200	DF175	DF150	DF140	DF115	DF100	DF90A	DF80A	DF70A	DF60		DF50	DF40	DF25	DF15	DF9.9	DF6	DF5	DF4	DF2.5
LIQUID GASKET	SILICONE SEAL KE45T	100 grams	93691-80030-000 162	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0
LIQUID GASKET	1207B (BLACK)	100 grams (3.4 oz)	99000-31140-THR 163	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0
GREASE	SUPER GREASE-A	450 grams (15.8 oz)	99000-25011-000 164	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	-
GREASE	WATER RESISTANT GREASE EP2	250 grams (8.8 oz)	99000-25350-000 165	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0
GREASE	MOLY PASTE	50 grams (1.7 oz)	99000-25140-000 166	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0
THREAD LOCK	1360 (RED)	50 grams (1.7 oz)	99000-32130-000 167	0	0	0	0	0	0	0	0	0	0	0	0	0		-	-	0	0	0	-	-	-	-
THREAD LOCK	1342 (BLUE)	50 grams (1.7 oz)	99000-32110-THR 168	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0
GEAR OIL	HYPOID GEAR OIL SAE90 APIGL-5	350 ml	99000-79N12-M07 172	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0

0: Available --: Not available



CHARTE D'APPLICATION

Items and their part numbers showing in the application chart are typically recommended, and applicable to models of engine numbers shown in page 03.
Please consult your local dealers regarding rigging parts and accessories for earlier engines.

page	Part Name / Description		DF250A/300A	DF200/225/250	DF150/175	DF140A	DF100A/115A	DF70A/80A/90A	DF40A/50A/60A	DF25	DF9.9B/15A/20A	DF9.9T only	DF8A/9.9A	DF4/5/6	DT40	DT25/30	DT9.9/15	
18, 23	REMOTE CONTROL BOX																	
	Binnacle mount	for single engine	67200-98J03-000 080	67200-93J13-000 080	67200-93J13-000 080	67200-93J13-000 080	67200-93J13-000 080	67200-93J13-000 080	67200-93J13-000 080	67200-93J13-000 080	67200-93J13-000 080	67200-93J13-000 080	67200-93J13-000 080	-	-	-	-	
		for dual engine	67200-98J13-000 082	67200-93J23-000 081	67200-93J23-000 081	67200-93J23-000 081	67200-93J23-000 081	-	-	-	-	-	-	-	-	-	-	
	Flush mount	for single engine	67200-98J22-000 081	67200-93J32-000 082	67200-93J32-000 082	67200-93J32-000 082	67200-93J32-000 082	67200-93J32-000 082	67200-93J32-000 082	67200-93J32-000 082	-	-	-	-	-	-	-	
	Side mount	for single engine	-	67200-93J06-000	67200-93J06-000	67200-93J06-000	67200-93J06-000	67200-93J06-000	67200-93J06-000	67200-94J15-000 083	67200-94J15-000 083	67200-94J15-000 083	67200-94J15-000 083	67200-91J02-000	67200-97E44-000	67200-97E44-000	-	
18, 22	BINNACLE MOUNT REMOTE CONTROL KIT																	
	For single engine	+ single station	67000-98J08-000	67000-93J04-000	67000-93J04-000	67000-93J04-000	67000-93J04-000	67000-93J04-000	67000-93J04-000	-	-	-	-	-	-	-	-	
			67000-93J47-000	67000-93J47-000	67000-93J47-000	67000-93J47-000	67000-93J47-000	67000-93J47-000	67000-93J47-000	-	-	-	-	-	-	-	-	
		+ second station	67000-98J18-000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		For dual engine	+ single station	67000-98J28-000	67000-93J14-000	67000-93J14-000	67000-93J14-000	67000-93J14-000	-	-	-	-	-	-	-	-	-	-
			67000-93J57-000	67000-93J57-000	67000-93J57-000	67000-93J57-000	67000-93J57-000	-	-	-	-	-	-	-	-	-	-	
		+ second station	67000-98J38-000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		For triple engine	+ single station	67000-98J48-000	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			+ second station	67000-98J58-000	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18, 22	FLUSH MOUNT REMOTE CONTROL KIT																	
	For single engine	+ single station	67000-98J67-000	67000-93J25-000	67000-93J25-000	67000-93J25-000	67000-93J25-000	67000-93J25-000	67000-93J25-000	-	-	-	-	-	-	-	-	
				67000-93J68-000	67000-93J68-000	67000-93J68-000	67000-93J68-000	67000-93J68-000	67000-93J68-000	67000-93J68-000	-	-	-	-	-	-	-	-
22	SIDE MOUNT REMOTE CONTROL KIT																	
	For single engine	+ single station	-	67000-93J78-000	67000-93J78-000	67000-93J78-000	67000-93J78-000	67000-93J78-000	67000-93J78-000	-	-	-	-	-	-	-	-	
22	SPACER KIT FOR REMOTE CONTROL BOX																	
	For single binnacle mount type		-	67500-93J00-000 084	67500-93J00-000 084	67500-93J00-000 084	67500-93J00-000 084	67500-93J00-000 084	67500-93J00-000 084	67500-93J00-000 084	67500-93J00-000 084	67500-93J00-000 084	67500-93J00-000 084	-	-	-	-	
	For dual binnacle mount type		-	67500-93J10-000 085	67500-93J10-000 085	67500-93J10-000 085	67500-93J10-000 085	-	-	-	-	-	-	-	-	-	-	
25	REMOTE CONTROL CABLE		-	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	
25	REMOTE CONTROL ATTACHING KIT		-	-	-	-	-	-	-	67130-95J02-000 101	Coming soon	67130-94J11-000	67130-99J00-000	67130-91J01-000 100	-	-	-	
21, 23	MAIN WIRING HARNESS																	
	5.0 meters		-	36620-93J52-000	36620-93J52-000	36620-93J52-000	36620-93J52-000	36620-93J52-000	36620-93J52-000	-	-	-	-	-	-	-	-	
	6.5 meters		36620-98J30-000 072	36620-93J02-000 087	36620-93J02-000 087	36620-93J02-000 087	36620-93J02-000 087	36620-93J02-000 087	36620-93J02-000 087	36620-94J01-000	36620-94J01-000	36620-93J02-000 087	36620-94J01-000	-	36620-94J01-000	-	-	
	8.0 meters		-	36620-93J62-000	36620-93J62-000	36620-93J62-000	36620-93J62-000	36620-93J62-000	36620-93J62-000	-	-	-	-	-	-	-	-	
	9.5 meters		36620-98J10-000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21, 22	MAIN WIRING HARNESS EXTENSION																	
	2.0 meters		36620-98J20-000 073	36620-93J10-000	36620-93J10-000	36620-93J10-000	36620-93J10-000	36620-93J10-000	36620-93J10-000	36620-93J10-000	36620-93J10-000	-	-	-	-	-	-	
	3.0 meters		-	36620-93J40-000	36620-93J40-000	36620-93J40-000	36620-93J40-000	36620-93J40-000	36620-93J40-000	36620-93J40-000	36620-93J40-000	-	-	-	-	-	-	
21, 23	BATTERY LEAD		36625-98J10-000 076	36625-93J10-000 086	36625-93J10-000 086	-	-	-	-	-	-	-	-	-	-	-	-	
24	IGNITION SWITCH PANEL																	
	Single ignition		-	37100-96J00-000 088	37100-96J00-000 088	37100-96J00-000 088	37100-96J00-000 088	37100-96J00-000 088	37100-96J00-000 088	37100-96J00-000 088	37100-96J00-000 088	-	-	-	-	37100-99E00-000	-	
	Single ignition + emergency stop switch		-	37100-96J23-000 089	37100-96J23-000 089	37100-96J23-000 089	37100-96J23-000 089	37100-96J23-000 089	37100-96J23-000 089	37100-96J23-000 089	37100-96J23-000 089	-	-	-	-	-	-	
	Dual ignition + emergency stop switch		-	37100-96J13-000 090	37100-96J13-000 090	37100-96J13-000 090	37100-96J13-000 090	-	-	-	-	-	-	-	-	-	-	
20	MAIN SWITCH PANEL		37100-98J03-000 083	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20	CONTROL PANEL																	
	For single engine		37100-98J11-000 084	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	For dual engine		37100-98J21-000 085	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	For triple engine		37100-98J31-000 086	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24	EMERGENCY SWITCH PANEL		37803-93J03-000 092	37803-93J03-000 092	37803-93J03-000 092	37803-93J03-000 092	37803-93J03-000 092	37803-93J03-000 092	37803-93J03-000 092	37803-93J03-000 092	37803-93J03-000 092	-	-	-	-	37803-99E03-000	-	
24	PTT SWITCH PANEL		-	37805-93J00-000 093	37805-93J00-000 093	37805-93J00-000 093	37805-93J00-000 093	37805-93J00-000 093	37805-93J00-000 093	-	-	-	-	-	-	-	-	
24	LIGHTING SWITCH PANEL		-	37210-93J00-000 091	37210-93J00-000 091	37210-93J00-000 091	37210-93J00-000 091	37210-93J00-000 091	37210-93J00-000 091	37210-93J00-000 091	37210-93J00-000 091	-	-	-	37210-93J00-000 091	37210-93J00-000 091	-	
31	STATOR & PULSER COIL COMPONENT		-	-	-	-	-	-	-	32120-95J00-000 126	Coming soon	32120-94J10-000	-	-	-	-	-	
30	ELECTRIC STARTER KIT		-	-	-	-	-	-	-	31000-95J01-000 114	Coming soon	31000-94J02-000	31000-99J00-000	-	-	-	-	
30	BATTERY CHARGING KIT		-	-	-	-	-	-	-	32000-95J01-000	Coming soon	32000-94J01-000	32000-99J00-000	32000-91J00-000	-	-	-	
31	BATTERY ISOLATOR LEAD SET		33830-98J10-000	-	33830-96J00-000 125	-	-	-	-	-	-	-	-	-	-	-	-	
31	ANODE		See page 31	See page 31	See page 31	See page 31	See page 31	See page 31	See page 31	See page 31	See page 31	See page 31	See page 31	See page 31	See page 31	See page 31	See page 31	
26	TILLER HANDLE KIT		-	-	-	-	63002-90J30-0EP 105	63002-87L10-0EP 104	63002-88L10-0EP 103 63002-88L20-0EP 102	-	-	-	-	-	-	-	-	
27	STEERING EXTENSION KIT		-	67630-93J00-000 108	67630-93J00-000 108	-	-	-	-	-	-	-	-	-	-	-	-	
27	DRAG LINK KIT		-	67700-93J00-000	67700-96J00-000	67701-90J00-000	67701-90J00-000	67701-87L00-000	67701-87J11-000	67700-95J01-000	-	67701-94JA0-000	-	-	-	67701-94420-000	-	
27	STEERING-BRACKET ATTACHMENT		-	-	-	-	-	-	-	43755-95J01-000	-	43755-94JA0-000	-	-	-	-	-	
27	DUAL ENGINE TIE BAR		-	67600-93J00-000	67600-93J00-000	-	-	-	-	-	-	-	-	-	-	-	-	
32	FUEL TANK		-	-	-	65000-95D01-000 143	65000-95D01-000 143	65000-95D01-000 143	65000-95D01-000 143	65000-95D01-000 143	65000-99100-000 142	65000-99100-000 142	65000-99100-000 142	65000-99100-000 142	65000-95D01-000 143	65000-95D01-000 143	65000-95D01-000 143	
33	FUEL-HOSE COMPONENT		See page 33	See page 33	See page 33	See page 33	See page 33	See page 33	See page 33	See page 33	See page 33	See page 33	See page 33	See page 33	See page			

COLLECTION SUZUKI 2013

STREET WEAR



990F0-FPS01-size 181

MOTOR CO POLO SHIRT

Navy blue with embroidered Motor Co patch detail, 100% Cotton.

Size S/M/L/XL/XXL/3XL



990F0-STPM1-size 182

MEN'S STRIPED CASUAL POLO SHIRT*

White Polo Shirt with sewn red, Takumi blue and cream stripe on the front, 95% Cotton, 5% Elastane.

Size S/M/L/XL/XXL



990F0-STPL1-size 183

WOMEN'S STRIPED CASUAL POLO SHIRT

Dark Blue Polo Shirt with sewn red, Takumi blue and cream stripe on the front, 95% Cotton, 5% Elastane.

Size XS/S/M/L/XL

COLLECTION BLEU TEAM



990F0-BLPM1-size 184

POLO SHIRT

Blue black with embroidered chest logo and reflective piping, 95% Cotton, 5% Elastane.

Size S/M/L/XL/XXL/3XL



990F0-BLPL1-size 185

WOMEN'S POLO SHIRT

Blue black with embroidered chest logo and reflective piping, 95% Cotton, 5% Elastane.

Size XS/S/M/L/XL



990F0-BLSM1-size 186

MEN'S SHORT SLEEVE SHIRT

Blue black, complete with chest pocket, embroidered logo and reflective piping, 100% Cotton.

Size S/M/L/XL/XXL/3XL



990F0-BLSL1-size 187

WOMEN'S SHORT SLEEVE SHIRT

Blue black, complete with chest pocket, embroidered logo and reflective piping, 100% Cotton.

Size S/M/L/XL

COLLECTION BLACK TEAM



990F0-BKPM1-size 190

POLO SHIRT

Black with embroidered chest logo and reflective piping, 95% Cotton, 5% Elastane.

Size S/M/L/XL/XXL/3XL



990F0-BKPL1-size 191

WOMEN'S POLO SHIRT

Black with embroidered chest logo and reflective piping, 95% Cotton, 5% Elastane.

Size XS/S/M/L/XL



990F0-BLPA1-size 192

UNISEX TEAM TROUSERS

Black multi pocket cargo design with drawstring hem and reinforced knee. Zip off at the knee to create shorts, 100% cotton.

Size S/M/L/XL/XXL/3XL



990F0-CFJ01-size 193

FORECOURT JACKET

Black waterproof jacket with detachable hood and drawstring toggles, complete with Suzuki detailing, 100% Polyester, Lining: 100% Polyester.

Size S/M/L/XL/XXL/3XL



990F0-BKSS1-size 194

SOFTSHELL JACKET

Black, complete with arm pocket, front zip pocket, drawstring toggles and reflective piping, 95% Polyester, 5% Elastane.

Size XS/S/M/L/XL/XXL/3XL



990F0-BKSJ1-size 195

TEAM JACKET

Black, front zip pocket and reflective piping, 65% Cotton, 35% Polyester.

Size XS/S/M/L/XL/XXL/3XL



990F0-BLMJ1-size 188

WATERPROOF JACKET

Blue black, waterproof and breathable jacket complete with detachable hood, arm pocket, front zip pocket, drawstring toggles and reflective piping, 95% Polyester, 5% Elastane, Lining: 100% Polyester.

Size XS/S/M/L/XL/XXL/3XL



990F0-BLSS1-size 189

SOFTSHELL JACKET

Blue black, complete with hood, arm pocket, front zip pocket, drawstring toggles and reflective piping, 95% Polyester, 5% Elastane.

Size XS/S/M/L/XL/XXL/3XL

* while stocks last

COLLECTION BLACK TEAM



990F0-BKFC1-000 196

BASEBALL CAP

Black with embroidered logo, complete with reflective piping, 100% Cotton.

Size ONE SIZE FITS ALL



990F0-BLSC1-000 197

SCARF

Black scarf complete with embroidered logos, 50% Wool, 50% Acrylic.

Size ONE SIZE FITS ALL



990F0-BLBE1-000 198

BEANIE HAT

Classic style black beanie with white trim and embroidered logo, 50% Wool, 50% Acrylic.

Size ONE SIZE FITS ALL

GOODIES



990F0-MMESS-000 199

LAPTOP BAG

Keep your laptop safe with plush lined notebook compartment with multiple pockets for extra storage. Comfortable strap and lightweight, to carry easily, 600D Polyester.

Size H26cm/W37cm/D10cm



990F0-MHOLD-000 204

SPORTS/TRAVEL HOLDALL

One main compartment, plus side pockets. Internal base board with external studs. Reinforced webbed carrying handles and shoulder strap, 600D Polyester.

Size H25cm/W30cm/D50cm/C30 litres



990F0-DRYDB-000 208

SUZUKI DRY BAG

Dry bag made of welded tarpaulin, reflective details, additional shoulder belt included.

Size H30cm/W30cm/D55cm/C35 litres



990F0-BLA00-LAN 200

LANYARD

Black fabric strap detailed with repeated Suzuki logo with metal attachment.



990F0-MBACK-000 205

BACKPACK

Day pack, functional addition to touring luggage, multiple functional pockets, bottle holder, waist and chest belts, eyelet fitted pocket for mp3 player and phone, 600D Polyester.

Size H48cm/W25cm/D15cm/C24 litres



990F0-DRYHB-000 209

SUZUKI DRY HIPBAG

Waterproof hip bag made of welded tarpaulin, reflective details, adjustable waist belt, volume 2.5 litres.



990F0-MUMBR-000 201

UMBRELLA

Black with white Suzuki logo detail, windproof with ergonomic EVA soft handle, comes in bag with shoulder strap, nylon with fiberglass spokes and metal shaft. Diameter 130cm.



990F0-MTROL-000 210

OGIO 9800 SLED TROLLEY BAG

Durable and easy to handle, with wide mouth for easy access, adjustable dividers and padded helmet chamber, multi-use compartments, 600D Polyester. 30-years manufacturer's warranty.

Size H86cm/W42cm/D39cm/C180 litres



990F0-MMUGB-000 202

SUZUKI MUG

Black design with Suzuki logo, ceramic, suitable for microwave and dishwasher.



990F0-MWATC-000 206

WATCH

Stainless steel matt finish, with black and orange detail, Chrono VD53, 3 ATM water resistant, comes with gift box.



990F0-MWALL-000 211

WALLET

Leather inside and canvas outer, with leather edging and contrast stitching, comes with gift box. Black.

Size 11/10/2cm



990F0-WAYOL-KEY 203

SUZUKI KEY RING


Blue/white, rubber.



990F0-MSUNG-000 207

SUNGLASSES

Stylish and lightweight, with 100% UV A and B protection made from acrylic with polished steel optic.



990F0-MTEDD-000 212

SUZUKI TEDDY

Plush, soft teddy wearing Suzuki Team T-shirt. Sitting 19cm high.

SUZUKI FRANCE
COLLECTION
MARINE 2013

00000-00000-000
NOM DU PRODUIT
Description sur quelques lignes. Ut
vitae justo vel lacus feugiat commodo.
Suspendisse vitae fringilla ipsum. Morbi
convallis consequat suscipit.
Size S-M-L-XL




00000-00000-000
NOM DU PRODUIT
Description sur quelques lignes. Ut
vitae justo vel lacus feugiat commodo.
Suspendisse vitae fringilla ipsum. Morbi
convallis consequat suscipit.
Size S-M-L-XL



00000-00000-000
NOM DU PRODUIT
Description sur quelques lignes. Ut
vitae justo vel lacus feugiat commodo.
Suspendisse vitae fringilla ipsum. Morbi
convallis consequat suscipit.
Size S-M-L-XL



00000-00000-000
NOM DU PRODUIT
Description sur quelques lignes. Ut
vitae justo vel lacus feugiat commodo.
Suspendisse vitae fringilla ipsum. Morbi
convallis consequat suscipit.
Size S-M-L-XL



OBTENEZ VOTRE CATALOGUE SUZUKI COLLECTION DÈS MAINTENANT!

Vous recherchez l'équipement Suzuki adapté à vos besoins?
Demandez dès maintenant notre catalogue chez votre
concessionnaire Suzuki.

Suzuki accessories are designed specifically for Suzuki vehicles and are subject to the same quality standards as the vehicles themselves. We would like to draw your specific attention to the fact that only Suzuki original accessories are tested and approved by Suzuki. The requirements they have to meet are set out in the relevant manuals. Under certain circumstances, the installation and/or usage of other accessory parts may therefore have a negative impact on the characteristics of your vehicle as set out in the design specifications, thereby impairing ride safety. Suzuki cannot, under any circumstances, be made liable for damage occurring from the use of any accessory that is not a Suzuki original accessory.

Subject to engineering and design modifications without prior notice. Please consult the current price list for details of accessory prices.

The details given in this brochure are non-binding and are purely for informational purposes. Errors excepted.

Suzuki International Europe GmbH,
Suzuki Allee 7, 64625 Bensheim

**Details of many more original accessories and other
extras can be found at: www.suzuki.eu**

Your Suzuki partner:

Suzuki is more than marine.



Automobile, motorbike and marine –
100 years of innovation. Visit our
homepage via QR-code and learn more
about Suzuki – way of life.